



TAMIYA R/C PARTS MATCHING LIST

XV-01 / XV-01T / XV-01 PRO ● TA06 / TA06 PRO / TA06MS ● FF-04 EVO ● FF-03 / FF-03 PRO ● TB-04 / TB-04 PRO ● TB-EVO.6 ● TA05 ver. II
 TRF419 ● TRF418 ● TT-02 ● TT-02D ● TT-02 TYPE-S ● TT-01 ● TT-01 TYPE-E / ES ● TT-01D TYPE-E
 MF-01X ● M-05 / M-05 PRO ● M-05 ver. II PRO ● M-06 / M-06 PRO ● RM-01 ● TRF102 ● F104Ver II / TRF101 ● F104
 DT-02 ● DT-03 ● DF-02 ● DF-03 ● TT-02B ● TRF502X ● TRF503 ● DB01 ● DB02 ● TRF201XMW/TRF211XM ● TRF201/DN-01 ● CR-01



ITEM	PARTS	XV-01 / XV-01T / XV-01 PRO	TA06 / TA08 PRO / TA08MS	FF-04 EVO	FF-03 / FF-03 PRO	TB-04 / TB-04 PRO	TB-EVO. 6	TA05 ver. II	TRF419	TRF418	TT-02	TT-02D	TT-02 TYPE-S	TT-01	TT-01 TYPE-E / ES	TT-01D TYPE-E	MF-01X	M-05 / M-05 PRO	M-05 ver. II PRO	M-06 / M-06 PRO	RM-01	TRF102	F104 ver. II / TRF101	F104	DT-02	DT-F03	DF-02	DF-03	TT-02B	TRF602X	TRF603	DB02	TRF201MM / TRF211XM	TRF201 / DN-01	CR-01	INFO	
53124	3mm Tungsten-Carbide Diff Ball Set	#1																																		#1 54305 #2 53663 #3 53267 or 54194 #4 53863	
53126	1510 Ball Bearing Set (2pcs.)																																				
53155	Low Friction Aluminum Damper Set																																				
53156	Hard Inner Sponge Set (4WD/FWD Touring & Rally Car)	#																																		# Not for use with XV-01T 50419, 50454, 50476, 50810, 53214, 53220, 53224, 53227, 53293, 53294 (Tires)	
53163	On-Road Tuned Spring Set (4WD/FWD Touring & Rally Car)																																			# 53901	
53174	Friction Damper Grease (Soft)																																				
53175	Friction Damper Grease (Medium)																																				
53176	Friction Damper Grease (Hard)																																				
53214	Super Grip Radial Tire (1 Pair, For 1/10 Touring R/C Cars)	#																																		# Not for use with XV-01T	
53220	1/10 4WD/FWD Touring Car Super Slicks (1 Pair)	#																																		# Not for use with XV-01T	
53224	1/10 4WD/FWD Touring Car M2 Slicks (1 Pair)	#																																		# Not for use with XV-01T	
53227	1/10 4WD/FWD Touring Car M2 Radial Tires (1 Pair)	#																																		# Not for use with XV-01T	
53232	1/10 One-Piece Racing Spoke Wheels (1 Pair)																																			50419, 50454, 50476, 50810, 53214, 53220, 53224, 53227, 53293, 53294 (Tires)	
53254	M-Chassis 60D Super Grip Radial Tires (1 Pair)																																			50569, 50676, 50972, 51237, 51334, 51394, 51405 (Wheels) # Use with 60D tires & wheels. S(50795, 51420, Use with 54654) M(51236, 51363, 51387, 51467, 51545) L(51404, 51451, 51489, 51496, Use with 54655)	
53255	M-Chassis 60D Inner Sponge (Hard) (4pcs.)																																			# Use with 60D tires & wheels. S(50795, 51420, Use with 54654) M(51236, 51363, 51387, 51467, 51545) L(51404, 51451, 51489, 51496, Use with 54655)	
53259	Formula 3.5mm Offset Upright																																			# Only axle shafts can be used.	
53262	0.4 Steel Pinion Gears (28T, 29T)			#1 #2	#3																															#1 54227 #2 54055 #3 53857 #4 54166 and 53104 or 53900	
53267	TA03 Ball Differential																																				
53270	1060 Ball Bearings (2pcs.)																																				
53284	5mm Aluminum Ball Connector (10pcs.)																																			# Not for XB models	
53293	Reinforced Slicks Type-A (1 Pair)	#																																		# Not for use with XV-01T	
53294	Reinforced Slicks Type-B (1 Pair)	#																																		# Not for use with XV-01T	
53295	Tire Inner Foam	#																																		# Not for use with XV-01T 50419, 50454, 50476, 50810, 53214, 53220, 53224, 53227, 53293, 53294 (Tires)	
53301	TL01 Stainless Steel Suspension Shaft																																			# Not for use on chassis side of rear arms.	
53333	Touring Car Tuned Spring Set (Short Type)																																				
53334	Low Friction Damper V Parts (Damper Collar)	#1	#1 #2	#1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 #1	#1 53155 or 53280 or 53571 #2 Only for PRO #3 53901		
53335	Reinforced One-Piece Spoke Wheels (1 Pair)																																			50419, 50454, 50476, 50810, 53214, 53220, 53224, 53227, 53293, 53294 (Tires)	
53336	Reinforced One-Piece Mesh Wheels (1 Pair)																																			50419, 50454, 50476, 50810, 53214, 53220, 53224, 53227, 53293, 53294 (Tires)	
53340	M-Chassis 60D Reinforced Tires Type-A (1 Pair)																																			50569, 50676, 50972, 51237, 51334, 51394, 51405 (Wheels) # Use with 60D tires & wheels. S(50795, 51420, Use with 54654) M(51236, 51363, 51387, 51467, 51545) L(51404, 51451, 51489, 51496, Use with 54655)	
53341	M-Chassis 8-Spoke Wheels 2pcs. Carbon Reinforced																																			# Use with 60D tires & wheels. S(50795, 51420, Use with 54654) M(51236, 51363, 51387, 51467, 51545) L(51404, 51451, 51489, 51496, Use with 54655)	
53379	3mm Lightweight Differential Ball Set	#1								#2 #2	#2 #2	#2 #2	#2 #2	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#1 54305 #2 53663 #3 53267 or 54194 #4 53863	
53390	(M03, M04) Hollow Carbon Gear Shaft																																				
53395	F103 Carbon Friction Plate																																				
53405	0.4 Pinion Gear (34T, 35T)	#1 #1	#1 #1	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#1 54227 #2 53857		
53406	0.4 Pinion Gear (36T, 37T)	#1 #1	#1 #1	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#1 54227 #2 53857		
53407	0.4 Pinion Gear (38T, 39T)	#1 #1	#1 #1	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#1 54227 #2 53857		
53415	Touring Car Urethane Bumper Sponge																																				
53420	0.4 Pinion Gear (40T, 41T)	#1 #1	#1 #1	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#1 54227 #2 53857		
53421	0.4 Pinion Gear (42T, 43T)	#1 #1	#1 #1	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#1 54227 #2 54227 #3 53857		
53422	0.4 Pinion Gear (44T, 45T)	#1 #2	#2 #2	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#3 #3	#1 54227 45T cannot used with #2 54227 #3 53857		
53423	0.4 Pinion Gear (46T, 47T)	#1	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#2 #2	#1 54227 #2 54055		
53424	0.4 Pinion Gear (48T, 49T)			#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	# 54055		
53425	0.4 Pinion Gear (50T, 51T)																																			# 54055	
53433	Medium-Narrow Reinforced Tires Type A	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	#	# 50892, 50894, 51022, 51046, 51299, 53453, 53468, 53471, 53473, 5		

ITEM	PARTS	XV-01 / XV-01T / XV-01 PRO	TA06 / TA06 PRO / TA06MS	FF-04 EVO	FF-03 / FF-03 PRO	TB-04 / TB-04 PRO	TB-EVO. 6	TA05 ver. II	TRF419	TRF418	TT-02	TT-02D	TT-02 TYPE-S	TT-01	TT-01 TYPE-E / ES	TT-01D TYPE-E	MF-01X	M-05 / M-05 PRO	M-05 ver. II PRO	M-06 / M-06 PRO	RM-01	TRF102	F104ver.II / TRF101	F104	DT-03	DF-02	DF-03	TT-02B	TRF502X	TRF503	DB01	DB02	TRF201XMM/ TRF211XM	TRF201/ DN-01	CR-01	INFO	
54590	M-Chassis Inner Sponge (Super Hard, 4pcs.)																#	●	●	●															# Use with 60D tires & wheels, S(50795, 51420, Use with 54654) M(51236, 51363, 51387, 51467, 51545) L(51404, 51451, 51489, 51496, Use with 54655)		
54591	Battery Ballast Weight (Half Size/2pcs.)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
54592	TB-04 Front Direct Coupling					●	●																														
54593	TB-04 Reinforced Gear Set					●	●																														
54594	TB-04 Carbon Reinforced K Parts (Stiffener)					●	●																														
54595	TB-04 Carbon Reinforced T Parts (Gear Case)					●	●																														
54596	TB-04 Carbon Reinforced Lower Deck					●	●																														
54601	TB-04 Aluminum High-Geared Motor Adapter					●	●																														
54602	TA06 Aluminum Gear Differential Unit Cover	●	●	●	#																															# Compatible with cars equipped 54398 and 54471 both , FF-03R, FF-03EVO.	
54604	Body Mount Extension Set	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●			
54605	M-05 Ver.II A Parts (Chassis)																	#	#																	# When use 50795 body, cut body according to chassis shape.	
54606	M-05 Ver.II One-Piece Lower Suspension Arm Set																#1	#2	#2																	#1 54613 #2 cut suspension arm according to chassis shape.	
54607	Heat Shrink Tubing Set	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
54609	M-05 Ver.II Aluminum Motor Mount																																				
54613	M-05 Ver.II Stainless Steel Suspension Shaft Set																	#	●																	# 54606	
54614	M-05 Ver.II Carbon Reinforced L Parts (Suspension Arms)																	#1	#2	#2																#1 54613 #2 cut suspension arm according to chassis shape.	
54615	M-05 Ver.II 3x58mm Titanium Coated Suspension Shaft (2pcs.)																	#	●																# 54606		
54617	Rigid Separate Suspension Mount Setting Spacer (0.5mm/4pcs.)							●																													
54618	Rigid Separate Suspension Mount (1XB)							●																													
54619	Rigid Separate Suspension Mount (1XA)							●																													
54620	Rigid Separate Suspension Mount (1X)							●																													
54621	Rigid Separate Suspension Mount (1B)							●																													
54622	Rigid Separate Suspension Mount (1C)							●																													
54623	M-Chassis Wheel Axle w/Axle Ring										#1	#1	#1	#1	#1	#1	#2	#2	#2	#2																	#1 53792 #2 53597 #3 53791
54624	TB-04 Aluminum Damper Stay Mount					#	●																													# Use with 54523, 54524. Only on rear in IFS setups.	
54628	08 Module Steel Pinion Gear (17T)																								●	●											
54629	08 Module Steel Pinion Gear (19T)																									●	●										
54632	TT-02 Type-S Carbon Damper Stay (Front)													●																							
54633	TT-02 Type-S Carbon Damper Stay (Rear)													●																							
54634	TT-02 Type-S Steel Suspension Mount Set													●																							
54636	TT-02 Type-S Steel Suspension Mount (Front)													●																							
54637	TT-02 Type-S Steel Suspension Mount (Rear)													●																							
54638	TT-02 Type-S Steel Rebound Stopper (2pcs.)													●																							
54639	TT-02 Carbon Damper Stay (Front)										●	●																									
54640	TT-02 Carbon Damper Stay (Rear)										●	●																									
54643	MF-01X Ball Bearing Set																																				
54654	MF-01X S Wheelbase Propeller Shaft																																				# Use with 60D tires & wheels, S(50795, 51420)
54655	MF-01X L Wheelbase Propeller Shaft																																				# Use with 60D tires & wheels, L(51404, 51451, 51489, 51496)

This publication is current as of May 2015

Check Tamiya's homepage for the latest releases! [www.tamiya.com]

